
Material Suplementario de:

JUAN MARTÍN PAREDES DEL PUERTO *ET AL.* CARACTERIZACIÓN DE LA AVIFAUNA E ICTIOFAUNA ASOCIADA A LOS BAÑADOS DE DESBORDE FLUVIAL DE CUATRO ARROYOS PAMPEANOS CON USO DE SUELO CONTRASTANTE (BUENOS AIRES, ARGENTINA). *BIOLOGÍA ACUÁTICA*. 2020;35:01-12.

Tabla 1. Lista de las especies aves registradas en los sitios de muestreo, tipificación según su relación de dependencia del ambiente acuático (A.A.) o terrestre (A.T.) según el criterio de Martínez (1993) y según su respuesta a los disturbios antrópicos (D.A.) de acuerdo con López-Lanús *et al.* (2008) como SB: sensibilidad baja, SM: sensibilidad media, SA: sensibilidad alta, F: favorecidas. CHU-Rur: Chubichaminí, CJ-Rur: Cajaravilla, CNV-Per: Carnaval y GAT-Per: del Gato.

Table 1. List of bird species recorded in the sampling sites, classification by their dependence relation with aquatic (A.A.) or terrestrial environment (A.T) according to Martinez (1993) and classification by their response to antropic disturbances (D.A) according to López-Lanús *et al.* (2008) as SB: low sensitive, SM: medium sensitive, SA: high sensitive, F: favored species. CHU-Rur: Chubichaminí, CJ-Rur: Cajaravilla, CNV-Per: Carnaval y GAT-Per: del Gato.

Tabla 1. Lista de las especies aves registradas en los sitios de muestreo, tipificación según su relación de dependencia del ambiente acuático (A.A.) o terrestre (A.T.) según el criterio de Martínez (1993) y según su respuesta a los disturbios antrópicos (D.A.) de acuerdo con López-Lanús *et al.* (2008) como SB: sensibilidad baja, SM: sensibilidad media, SA: sensibilidad alta, F: favorecidas. CHU-Rur: Chubichamini, CJ-Rur: Cajaravilla, CNV-Per: Carnaval y GAT-Per: del Gato.

Table 1. List of bird species recorded in the sampling sites, classification by their dependence relation with aquatic (A.A.) or terrestrial environment (A.T) according to Martínez (1993) and classification by their response to antropic disturbances (D.A) according to López-Lanús *et al.* (2008) as SB: low sensitive, SM: medium sensitive, SA: high sensitive, F: favored species. CHU-Rur: Chubichamini, CJ-Rur: Cajaravilla, CNV-Per: Carnaval y GAT-Per: del Gato.

	CHU-Rur	CJ-Rur	CNV-Rur	GAT-Rur	Ambiente	D.A.
TINAMIFORMES						
Tinamidae						
<i>Nothura maculosa</i> (Temminck, 1815)	X	X	-	-	A.T.	SB
ANSERIFORMES						
Anhimidae						
<i>Chauna torquata</i> (Oken, 1816)		X			A.A.	SB
Anatidae						
<i>Dendrocygna viduata</i> (Linnaeus, 1766)	-	X	-	-	A.A.	SB
<i>Cygnus melancoryphus</i> (Molina, 1782)	-	X	-	-	A.A.	SB
<i>Callonetta leucophrys</i> (Vieillot, 1816)	-	X	-	-	A.A.	SB
<i>Amazonetta brasiliensis</i> (Gmelin, 1789)	X	X	-	-	A.A.	SB
<i>Anas flavirostris</i> Vieillot, 1816	X	X	-	X	A.A.	SM
<i>Anas georgica</i> Vieillot, 1816	-	X	-	-	A.A.	SB
<i>Anas bahamensis</i> Linnaeus, 1758	-	X	-	X	A.A.	SB
<i>Anas versicolor</i> Vieillot, 1816	-	X	-	-	A.A.	SB
<i>Anas discors</i> Linnaeus, 1766	-	-	-	X	A.A.	SB
<i>Anas platalea</i> Vieillot, 1816	-	X	-	-	A.A.	SM
PODICIPEDIFORMES						
Podicipedidae						
<i>Rollandia rolland</i> (Quoy & Gaimard, 1824)	-	X	-	-	A.A.	SM
CICONIIFORMES						
Ciconiidae						
<i>Ciconia maguari</i> (Gmelin, 1789)	X	X	-	-	A.A.	SB
SULIFORMES						
Phalacrocoracidae						
<i>Phalacrocorax brasilianus</i> King, 1828	-	X	-	-	A.A.	F
PELECANIFORMES						
Ardeidae						
<i>Tigrisoma lineatum</i> Vieillot, 1817	-	X	-	-	A.A.	SM
<i>Ixobrychus involucris</i> Vieillot, 1823		X				SB
<i>Nycticorax nycticorax</i> Linnaeus, 1758	-	X	-	-	A.A.	SB
<i>Bubulcus ibis</i> Linnaeus, 1758	-	X	-	-	A.A.	F
<i>Ardea cocoi</i> Linnaeus, 1758	-	X	-	X	A.A.	SB

<i>Ardea alba</i> Linnaeus, 1758	-	X	-	-	A.A.	SB
<i>Syrigma sibilatrix</i> Temminck, 1824	-	X	-	-	A.A.	SM
<i>Egretta thula</i> Molina, 1782	-	X	-	-	A.A.	SB
Threskiornithidae						
<i>Phimosus infuscatus</i> (Lichtenstein, 1823)	-	X	-	-	A.A.	SB
<i>Platalea ajaja</i> (Linnaeus, 1758)	-	X	-	-	A.A.	SM
<hr/>						
ACCIPITRIFORMES						
Accipitridae						
<i>Rostrhamus sociabilis</i> (Vieillot, 1817)	-	X	-	-	A.A.	F
<i>Circus buffoni</i> Gmelin, 1789	X	-	-	X	A.A.	SM
<i>Rupornis magnirostris</i> (Gmelin, 1789)	-	-	-	X	A.T.	F
GRUIFORMES						
Aramidae						
<i>Aramus guarauna</i> Linnaeus, 1766	-	-	X	X	A.A.	SM
Rallidae						
<i>Aramides ypecaha</i> Vieillot, 1819	X	X	-	X	A.A.	SM
<i>Aramides cajaneus</i> (Muller, 1776)	-	X	-	-	A.A.	SA
<i>Laterallus leucopyrrhus</i> (Vieillot, 1819)	-	X	-	-	A.A.	SM
<i>Pardirallus sanguinolentus</i> (Swainson, 1838)	X	X	-	-	A.A.	SM
<i>Gallinula galeata</i> (Lichtenstein, 1818)	-	X	-	-	A.A.	SB
<i>Gallinula melanops</i> (Vieillot, 1819)	-	X	-	X	A.A.	SM
<i>Fulica leucoptera</i> Vieillot, 1819	-	-	-	X	A.A.	SM
<hr/>						
CHARADRIIFORMES						
Charadriidae						
<i>Vanellus chilensis</i> Molina, 1782	X	X	-	X	A.A.	F
<i>Tringa flavipes</i>	X	-	-	-	A.A.	SB
Scolopacidae						
<i>Gallinago paraguayae</i> (Vieillot, 1816)		X			A.A.	SB
<i>Tringa flavipes</i> Gmelin, 1789		X			A.A.	SB
Jacanidae						
<i>Jacana jacana</i> (Linnaeus, 1766)	-	X	-	X	A.A.	SB
<hr/>						
COLUMBIFORMES						
Columbidae						
<i>Columba livia</i> Gmelin, 1789	-	X	-	-	A.T.	
<i>Patagioenas picazuro</i> Temmink, 1813	-	X	-	X	A.T.	F
<i>Patagioenas maculosa</i> Temmink, 1813	X	-	-	-	A.T.	F
<i>Zenaida auriculata</i> Des Murs, 1847	-	X	-	-	A.T.	F
<i>Leptotila verreauxi</i> (Bonaparte, 1855)	-	X	-	-	A.T.	SB
<hr/>						
APODIFORMES						
Trochillidae						
<i>Chlorostilbon lucidus</i> (Shaw, 1812)	-	X	-	-	A.T.	F

CORACIIFORMES						
Alcedinidae						
<i>Megaceryle torquata</i> (Linnaeus, 1766)	X	-	-	-	A.A.	SB
<i>Chloroceryle amazona</i> Latham, 1790	-	-	-	X	A.A.	SB
<i>Chloroceryle americana</i> (Gmelin, 1788)	X	-	-	-	A.A.	SB
Piciformes						
Picidae						
<i>Colaptes melanochloros</i> Gmelin, 1788				X	A.A.	SB
FALCONIFORMES						
Falconidae						
<i>Caracara plancus</i> Miller, 1777	X	X	X	-	A.A.	F
<i>Milvago chimango</i> Vieillot, 1816	X	-	-	-	A.A.	F
PSITTACIFORMES						
Psittacidae						
<i>Myiopsitta monachus</i> (Finsch, 1868)	X	X	-	X	A.T.	F
<i>Psittacara leucophthalmus</i> (Statius Muller, 1776)	-	X	-	-	A.T.	SB
PASSERIFORMES						
Furnariidae						
<i>Furnarius rufus</i> (Gmelin, 1788)	-	X	-	X	A.T.	F
<i>Phleocryptes melanops</i> Vieillot, 1817	X	X	-	-	A.A.	SM
<i>Phacellodomus striaticollis</i> (Orbigny & Lafresnaye, 1838)	-	X	-	-	A.A.	SM
<i>Cranioleuca sulphurifera</i> (Burmeister, 1869)	X	X	-	-	A.A.	SA
<i>Spartonoica maluroides</i> Orbigny & Lafresnaye, 1837	X	-	-	-	A.A.	SM
<i>Synallaxis spixi</i> Sclater, 1856	-	X	-	-	A.T.	SB
Tyrannidae						
<i>Tachuris rubrigastra</i> Vieillot, 1817	X	-	-	-	A.A.	SM
<i>Pseudocolopteryx flaviventris</i> Lafresnaye & d'Orbigny, 1837	X	-	-	-	A.A.	SB
<i>Hymenops perspicillatus</i> (Gmelin, 1789)	X	X	X	-	A.A.	SM
<i>Pitangus sulphuratus</i> Linnaeus, 1766	X	X	-	X	A.A.	F
Hirundinidae						
<i>Progne tapera</i> Linnaeus, 1766	-	X	-	-	A.T.	F
<i>Tachycineta leucorrhoa</i> (Vieillot, 1817)	X	X	-	-	A.A.	F
<i>Tachycineta meyeri</i> Meyen, 1834	-	X	-	-	A.A.	SB
<i>Hirundo rustica</i> Boddaert, 1789	X	-	-	-	A.A.	SB
Troglodytidae						

Picidae

Colaptes melanochloros Gmelin, 1788 X A.A. SB

FALCONIFORMES

Falconidae

Caracara plancus Miller, 1777 X X X - A.A. F

Milvago chimango Vieillot, 1816 X - - - A.A. F

PSITTACIFORMES

Psittacidae

Myiopsitta monachus (Finsch, 1868) X X - X A.T. F

Psittacara leucophthalmus (Statius Muller, 1776) - X - - A.T. SB

PASSERIFORMES

Furnariidae

Furnarius rufus (Gmelin, 1788) - X - X A.T. F

Phleocryptes melanops Vieillot, 1817 X X - - A.A. SM

Phacellodomus striaticollis (Orbigny & Lafresnaye, 1838) - X - - A.A. SM

Cranioleuca sulphurifera (Burmeister, 1869) X X - - A.A. SA

Spartonoica maluroides Orbigny & Lafresnaye, 1837 X - - - A.A. SM

Synallaxis spixi Sclater, 1856 - X - - A.T. SB

Tyrannidae

Tachuris rubrigastra Vieillot, 1817 X - - - A.A. SM

Pseudocolopteryx flaviventris Lafresnaye & d'Orbigny, 1837 X - - - A.A. SB

Hymenops perspicillatus (Gmelin, 1789) X X X - A.A. SM

Pitangus sulphuratus Linnaeus, 1766 X X - X A.A. F

Hirundinidae

Progne tapera Linnaeus, 1766 - X - - A.T. F

Tachycineta leucorrhoa (Vieillot, 1817) X X - - A.A. F

Tachycineta meyeri Meyen, 1834 - X - - A.A. SB

Hirundo rustica Boddaert, 1789 X - - - A.A. SB

Troglodytidae

Troglodytes aedon Vieillot, 1808 - X X X8 A.T. F

Turdidae

Turdus amaurochalinus Cabanis, 1851 - X - - A.T. F

Sturnidae

Sturnus vulgaris Linnaeus, 1758 - X - - A.T.

Motacillidae

Anthus correndera Vieillot, 1818 X X - - A.A. SB

Caracterización de la avifauna e ictiofauna asociada a los bañados de desborde fluvial de cuatro arroyos pampeanos con uso de suelo contrastante (Buenos Aires, Argentina)

Thraupidae

<i>Donacospiza albifrons</i> (Vieillot, 1817)	X	-	-	-	A.A.	SB
<i>Poospiza nigrorufa</i> Lafresnaye & DOrbigny, 1837	-	X	-	-	A.A.	SM
<i>Sicalis luteola</i> Sparrman, 1789	X	X	-	-	A.T.	F
<i>Embernagra platensis</i> Gmelin, 1789	X	X	-	-	A.A.	SB
<i>Sporophila caeruleascens</i> Vieillot, 1817	-	X	-	-	A.T.	SB

Emberizidae

<i>Ammodramus humeralis</i> Bosc, 1792			X		A.A.	
<i>Zonotrichia capensis</i> Latham, 1790	-	X	X	X	A.T.	F

Parulidae

<i>Geothlypis aequinoctialis</i> (Gmelin, 1789)	X	X	-	-	A.A.	SB
-------------------------------------------------	---	---	---	---	------	----

Icteridae

<i>Agelasticus thilius</i> (Molina, 1782)	X	X	-	-	A.A.	SM
<i>Chrysomus ruficapillus</i> (Vieillot, 1819)	X	-	-	-	A.A.	SB
<i>Pseudoleistes virescens</i> (Vieillot, 1819)	X	X	-	-	A.A.	SM
<i>Agelaioides badius</i> (Vieillot, 1819)	-	X	X	X	A.T.	F
<i>Molothrus rufoaxillaris</i> Cassin, 1866	-	X	X	X	A.T.	SB
<i>Molothrus bonariensis</i> Gmelin, 1789	-	X	-	-	A.T.	F
<i>Sturnella superciliiaris</i> (Bonaparte, 1851)	X	X	-	-	A.T.	SB